

CATALOG I

Sr. No:	Item Code:	Size:			Image with Code:	Price
		Length	Height	Breadth		Individual
01: MATRIX SERIES: (MX)						
1	MX3R1 A	450 mm/ 18 inch	520 mm/ 21 inch	450 mm/ 18 inch		7563/-
2	MX3R1 B	310 mm/ 13 inch	400 mm/ 16 inch	310 mm/ 13 inch		4538/-
3	MX3R1 C	220 mm/ 9 inch	270 mm/ 11 inch	220 mm/ 9 inch		2750/-
4	MX3R2 A	530 mm/ 21 inch	250 mm/ 10 inch	530 mm/ 21 inch		5844/-
5	MX3R2 B	430 mm/ 17 inch	180 mm/ 7 inch	430 mm/ 17 inch		3506/-
6	MX3R2 C	300 mm/ 12 inch	120 mm/ 5 inch	300 mm/ 12 inch		2125/-
7	MX3R3 A	490 mm/ 20 inch	560 mm/ 23 inch	490 mm/ 20 inch		8044/-
8	MX3R3 B	350 mm/ 14 inch	420 mm/ 17 inch	350 mm/ 14 inch		4826/-
9	MX3R3 C	260 mm/ 11 inch	320 mm/ 13 inch	260 mm/ 11 inch		2925/-
10	MX3R4 A	430 mm/ 17 inch	780 mm/ 31 inch	430 mm/ 17 inch		8044/-
11	MX3R4 B	310 mm/ 13 inch	620 mm/ 25 inch	310 mm/ 13 inch		4826/-
12	MX3R4 C	250 mm/ 10 inch	470 mm/ 19 inch	250 mm/ 10 inch		2925/-
13	MX4R5 A	450 mm/ 18 inch	650 mm/ 26 inch	450 mm/ 18 inch		10381/-
14	MX4R5 B	370 mm/ 15 inch	570 mm/ 23 inch	370 mm/ 15 inch		6229/-
15	MX4R5 C	300 mm/ 12 inch	470 mm/ 19 inch	300 mm/ 12 inch		3775/-
16	MX4R5 D	240 mm/ 10 inch	380 mm/ 15 inch	240 mm/ 10 inch		2831/-
17	MX3O6 A	600 mm/ 24 inch	500 mm/ 20 inch	600 mm/ 24 inch		5225/-
18	MX3O6 B	440 mm/ 18 inch	370 mm/ 15 inch	440 mm/ 18 inch		3135/-
19	MX3O6 C	330 mm/ 13 inch	280 mm/ 11 inch	330 mm/ 13 inch		1900/-
20	MX3R7 A	530 mm/ 21 inch	690 mm/ 28 inch	530 mm/ 21 inch		9281/-
21	MX3R7 B	400 mm/ 16 inch	540 mm/ 22 inch	400 mm/ 16 inch		5569/-
22	MX3R7 C	310 mm/ 13 inch	410 mm/ 17 inch	310 mm/ 13 inch		3375/-

23	MX1S8 A	450 mm/ 18 inch	1510 mm/ 61 inch	450 mm/ 18 inch	MX1S8 	25250/-
24	MX2S9 A	350 mm/ 14 inch	1210 mm/ 49 inch	350 mm/ 14 inch	MX2S9 	13213/-
25	MX2S9 B	285 mm/ 12 inch	1020 mm/ 41 inch	280 mm/ 11 inch		6229/-
26	MX2R37 A	500 mm/ 20 inch	400 mm/ 16 inch	500 mm/ 20 inch	MX2R37 	7306/-
27	MX2R37 B	380 mm/ 15 inch	300 mm/ 12 inch	380 mm/ 15 inch		3404/-
02: ROCK SERIES: (RC)						
28	RC4S10 A	520 mm/ 21 inch	530 mm/ 21 inch	520 mm/ 21 inch	RC4S10 	12031/-
29	RC4S10 B	445 mm/ 18 inch	450 mm/ 18 inch	440 mm/ 18 inch		7219/-
30	RC4S10 C	370 mm/ 15 inch	370 mm/ 15 inch	370 mm/ 15 inch		4375/-
31	RC4S10 D	300 mm/ 12 inch	300 mm/ 12 inch	300 mm/ 12 inch		3281/-
32	RC3R11 A	490 mm/ 20 inch	410 mm/ 17 inch	490 mm/ 20 inch	RC3R11 	6531/-
33	RC3R11 B	360 mm/ 14 inch	310 mm/ 13 inch	360 mm/ 14 inch		3919/-
34	RC3R11 C	280 mm/ 11 inch	220 mm/ 9 inch	280 mm/ 11 inch		2375/-
35	RC3R12 A	430mm/ 17 inch	480mm/ 19 inch	430mm/ 17 inch	RC3R12 	6531/-
36	RC3R12 B	360 mm/ 14 inch	420 mm/ 17 inch	360 mm/ 14 inch		3919/-
37	RC3R12 C	280 mm/ 11 inch	330mm/ 13 inch	280mm/ 11 inch		2375/-
38	RC4R13 A	540 mm/ 22 inch	500 mm/ 20 inch	540 mm/ 22 inch	RC4R13 	9281/-
39	RC4R13 B	440mm/ 18 inch	410mm/ 17 inch	440mm/ 18 inch		5569/-
40	RC4R13 C	370mm/ 17 inch	360mm/ 15 inch	370mm/ 17 inch		3375/-
41	RC4R13 D	280mm/ 11 inch	260mm/ 10 inch	280mm/ 11 inch		2531/-

42	RC3R14 A	530mm/ 21 inch	260mm/ 10 inch	530mm/ 21 inch	RC3R14 	5844/-
43	RC3R14 B	420mm/ 17 inch	190mm/ 8 inch	425mm/ 17 inch		3506/-
44	RC3R14 C	330mm/ 13 inch	150mm/ 6 inch	330mm/ 13 inch		2125/-
45	RC4R15 A	490 mm/ 20 inch	480 mm/ 19 inch	490 mm/ 20 inch	RC4R15 	9763/-
46	RC4R15 B	410 mm/ 17 inch	400 mm/ 16 inch	410 mm/ 17 inch		5858/-
47	RC4R15 C	330 mm/ 13 inch	310 mm/ 13 inch	330 mm/ 13 inch		3550/-
48	RC4R15 D	250 mm/ 10 inch	230 mm/ 9 inch	250 mm/ 10 inch		2663/-
49	RC4R16 A	490mm/ 20 inch	480mm/ 19 inch	490mm/ 20 inch	RC4R16 	8470/-
50	RC4R16 B	410mm/ 17 inch	400mm/ 16 inch	410mm/ 17 inch		6353/-
51	RC4R16 C	330mm/ 13 inch	310mm/ 13 inch	330mm/ 13 inch		3850/-
52	RC4R16 D	250 mm/ 10 inch	230 mm/ 9 inch	250 mm/ 10 inch		2888/-
53	RC3R17 A	530mm/ 21 inch	260mm/ 10 inch	530mm/ 21 inch	RC3R17 	6050/-
54	RC3R17 B	410 mm/ 17 inch	210 mm/ 9 inch	410 mm/ 17 inch		3630/-
55	RC3R17 C	300 mm/ 12 inch	140 mm/ 6 inch	300 mm/ 12 inch		2200/-
56	RC4S18 A	430 mm/ 17 inch	800 mm/ 32 inch	430 mm/ 17 inch	RC4S18 	12513/-
57	RC4S18 B	350 mm/ 14 inch	710 mm/ 28 inch	350 mm/ 14 inch		7508/-
58	RC4S18 C	270 mm/ 11 inch	600 mm/ 24 inch	350 mm/ 14 inch		4550/-
59	RC4S18 D	200 mm/ 8 inch	500mm/ 20 inch	200mm/ 8 inch		3413/-
03: ROUGH STONE SERIES: (RO)						
60	RO4R19 A	510 mm/ 20 inch	500 mm/ 20 inch	510 mm/ 20 inch	RO4R19 	9763/-
61	RO4R19 B	420 mm/ 17 inch	420 mm/ 17 inch	420 mm/ 17 inch		5858/-
62	RO4R19 C	330 mm/ 13 inch	330 mm/ 13 inch	330 mm/ 13 inch		3550/-
63	RO4R19 D	270 mm/ 11 inch	250 mm/ 10 inch	270 mm/ 11 inch		2663///-

64	RO4S20 A	530 mm/ 21 inch	510 mm/ 20 inch	530 mm/ 21 inch		12031/-
65	RO4S20 B	410 mm/ 17 inch	450 mm/ 18 inch	410 mm/ 17 inch		7219/-
66	RO4S20 C	390 mm/ 16 inch	380 mm/ 15 inch	390 mm/ 16 inch		4375/-
67	RO4S20 D	310 mm/ 13 inch	310 mm/ 13 inch	310 mm/ 13 inch		3281/-
68	RO4R21 A	550 mm/ 21 inch	500 mm/ 20 inch	550 mm/ 21 inch		9281/-
69	RO4R21 B	440 mm/ 18 inch	410 mm/ 17 inch	440 mm/ 18 inch		5569/-
79	RO4R21 C	370mm/ 15 inch	340mm/ 14 inch	370mm/ 15 inch		3375/-
71	RO4R21 D	300mm/ 12 inch	280mm/ 11 inch	300mm/ 12 inch		2531/-
72	RO3R22 A	510 mm/ 20 inch	420mm/ 17 inch	510 mm/ 20 inch		8388/-
73	RO3R22 B	400 mm/ 16 inch	320 mm/ 13 inch	400 mm/ 16 inch		5033/-
74	RO3R22 C	310 mm/ 13 inch	250 mm/ 10 inch	310 mm/ 13 inch		3050/-
75	RO4R23 A	560 mm/ 23 inch	530 mm/ 21 inch	560 mm/ 23 inch		9281/-
76	RO4R23 B	460 mm/ 19 inch	460 mm/ 19 inch	460 mm/ 19 inch		5569/-
77	RO4R23 C	360 mm/ 14 inch	320 mm/ 13 inch	360 mm/ 14 inch		3375/-
78	RO4R23 D	260 mm/ 10 inch	250 mm/ 10 inch	260 mm/ 10 inch		2531/-
79	RO3R24 A	560 mm/ 23 inch	270 mm/ 11 inch	560 mm/ 23 inch		6050/-
80	RO3R24 B	440 mm/ 18 inch	180 mm/ 7 inch	440 mm/ 18 inch		3630/-
81	RO3R24 C	300 mm/ 12 inch	150 mm/ 6 inch	300 mm/ 12 inch		2200/-
82	RO3R25 A	420 mm/ 17 inch	770 mm/ 31 inch	420 mm/ 17 inch		7837/-
83	RO3R25 B	320 mm/ 13 inch	620 mm/ 25 inch	320 mm/ 13 inch		4703/-
84	RO3R25 C	250 mm/ 10 inch	470 mm/ 19 inch	250 mm/ 10 inch		2850/-
85	RO2O26 A	580 mm/ 23 inch	380 mm/ 15 inch	400 mm/ 12 inch		7788/-
86	RO2O26 B	440 mm/ 18 inch	290 mm/ 12 inch	320 mm/ 13 inch		3617/-

87	RO2P27 A	420 mm/ 17 inch	210 mm/ 8 inch	420 mm/ 17 inch		4113/-
88	RO2P27 B	290 mm/ 12 inch	150 mm/ 6 inch	290 mm/ 12 inch		1939/-

04: ROYAL SERIES: (RY)

89	RY4R28 A	530 mm/ 21 inch	970 mm/ 39 inch	530 mm/ 21 inch		13888/-
90	RY4R28 B	390 mm/ 16 inch	730 mm/ 29 inch	390 mm/ 16 inch		8333/-
91	RY4R28 C	310 mm/ 13 inch	590 mm/ 24 inch	310 mm/ 13 inch		5050/-
92	RY4R28 D	240mm/ 10 inch	470mm/ 19 inch	240mm/ 10 inch		3788/-

93	RY3O29 A	660 mm/ 26 inch	500 mm/ 20 inch	330 mm/ 13 inch		6531/-
94	RY3O29 B	440 mm/ 18 inch	370 mm/ 15 inch	250 mm/ 10 inch		3919/-
95	RY3O29 C	330 mm/ 14 inch	280 mm/ 11 inch	180 mm/ 7 inch		3788/-

96	RY4R30 A	530 mm/ 21 inch	490 mm/ 20 inch	530 mm/ 21 inch		9281/-
97	RY4R30 B	420 mm/ 17 inch	410 mm/ 17 inch	420 mm/ 17 inch		5569/-
98	RY4R30 C	350 mm/ 14 inch	340 mm/ 14 inch	350 mm/ 14 inch		3375/-
99	RY4R30 D	280 mm/ 11 inch	270 mm/ 11 inch	280 mm/ 11 inch		2531/-

100	RY4R31 A	550 mm/ 22 inch	450 mm/ 18 inch	550 mm/ 22 inch		8869/-
101	RY4R31 B	440 mm/ 18 inch	350 mm/ 14 inch	440 mm/ 18 inch		5321/-
102	RY4R31 C	370 mm/ 15 inch	300 mm/ 12 inch	370 mm/ 15 inch		3225/-
103	RY4R31 D	300 mm/ 12 inch	240 mm/ 10 inch	300 mm/ 12 inch		2419/-

05:TIMBER SERIES: (TB)

104	TB4R32 A	550 mm/ 22 inch	510 mm/ 20 inch	550 mm/ 22 inch		11069/-
105	TB4R32 B	440 mm/ 18 inch	400 mm/ 16 inch	440 mm/ 18 inch		6641/-
106	TB4R32 C	370 mm/ 15 inch	340 mm/ 14 inch	370 mm/ 15 inch		4025/-
107	TB4R32 D	300 mm/ 12 inch	280 mm/ 11 inch	300 mm/ 12 inch		3019/-

06:TINY SERIES: (TY)

108	TY3R33 A	530 mm/ 21 inch	380 mm/ 15 inch	530 mm/ 21 inch		6944/-
109	TY3R33 B	400 mm/ 16 inch	300 mm/ 12 inch	400 mm/ 16 inch		4166/-
110	TY3R33 C	280 mm/ 11 inch	200 mm/ 8 inch	280 mm/ 11 inch		2525/-

07: VELVET SERIES: (VT)

111	VT4R34 A	560 mm/ 23 inch	610 mm/ 24 inch	560 mm/ 23 inch		9075/-
112	VT4R34 B	410 mm/ 17 inch	460 mm/ 19 inch	410 mm/ 17 inch		5445/-
113	VT4R34 C	280 mm/ 11 inch	310 mm/ 13 inch	280 mm/ 11 inch		3300/-
114	VT4R34 D	190 mm/ 8 inch	210 mm/ 9 inch	190 mm/ 8 inch		2475/-

115	VT4R35 A	550 mm/ 22 inch	1010 mm/ 40 inch	550 mm/ 22 inch		12719/-
116	VT4R35 B	420 mm/ 17 inch	780 mm/ 31 inch	420 mm/ 17 inch		7653/-
117	VT4R35 C	320 mm/ 13 inch	620 mm/ 25 inch	320 mm/ 13 inch		4625/-
118	VT4R35 D	240 mm/ 10 inch	470 mm/ 19 inch	240 mm/ 10 inch		3469/-

119	VT3RE36 A	900 mm/ 36 inch	370 mm/ 15 inch	490 mm/ 20 inch		11619/-
120	VT3RE36 B	730 mm/ 29 inch	320 mm/ 13 inch	350 mm/ 14 inch		6971/-
121	VT3RE36 C	590 mm/ 24 inch	280 mm/ 11 inch	240 mm/ 10 inch		4225/-

CATALOG II

Sr. No:	Item Code:	Size:			Image with Code:	Price
		Length	Height	Breadth		Individual

01: MATRIX SERIES: (MX)

122	MX3R38 A	450 MM	450 MM	500 MM		7563/-
123	MX3R38 B	330 MM	330 MM	370 MM		4125/-
124	MX3R38 C	230 MM	230 MM	260 MM		2750/-

125	MX3R39 A	550 MM	550 MM	600 MM		5844/-
126	MX3R39 B	440 MM	440 MM	480 MM		3188/-
127	MX3R39 C	310 MM	310 MM	340 MM		2125/-

128	MX3R40 A	550 MM	550 MM	550 MM		8044/-
129	MX3R40 B	370 MM	370 MM	400 MM		4388/-
130	MX3R40 C	250 MM	250 MM	280 MM		2925/-
131	MX4R41 A	530 MM	530 MM	570 MM		9281/-
132	MX4R41 B	430 MM	430 MM	470 MM		5906/-
133	MX4R41 C	350 MM	350 MM	400 MM		3375/-
134	MX4R41 D	240 MM	240 MM	280 MM		2531/-
135	MX3R42 A	490 MM	490 MM	550 MM		7807/-
136	MX3R42 B	370 MM	370 MM	410 MM		4259/-
137	MX3R42 C	270 MM	270 MM	310 MM		2839/-
138	MX3R43 A	490 MM	490 MM	540 MM		6732/-
139	MX3R43 B	380 MM	380 MM	410 MM		3672/-
140	MX3R43 C	290 MM	290 MM	320 MM		2440/-
141	MX4S44 A	520 MM	520 MM	520 MM		12031/-
142	MX4S44 B	440 MM	440 MM	440 MM		7656/-
143	MX4S44 C	370 MM	370 MM	370 MM		4375/-
144	MX4S44 D	300 MM	300 MM	300 MM		3281/-
145	MX3R45 A	420 MM	420 MM	790 MM		7838/-
146	MX3R45 B	320 MM	320 MM	620 MM		4275/-
147	MX3R45 C	250 MM	250 MM	460 MM		2450
148	MX4R46 A	500 MM	500 MM	490 MM		9763/-
149	MX4R46 B	420 MM	420 MM	410 MM		6213/-
150	MX4R46 C	360 MM	360 MM	350 MM		3550/-
151	MX4R46 D	260 MM	260 MM	250 MM		2663/-

152	MX3R47 A	420 MM	420 MM	770 MM		7838/-
153	MX3R47 B	350 MM	350 MM	650 MM		4275/-
154	MX3R47 C	250 MM	250 MM	460 MM		2450

02: ROCK SERIES: (RC)

155	RC4R49 A	550 MM	550 MM	480 MM		9023/-
156	RC4R49 B	440 MM	440 MM	390 MM		5742/-
157	RC4R49 C	350 MM	350 MM	300 MM		3281/-
158	RC4R49 D	270 MM	270 MM	240 MM		2461/-

03: ROUGH STONE SERIES: (RO)

159	RO3R51 A	550 MM	550 MM	410 MM		7761/-
160	RO3R51 B	420 MM	420 MM	350 MM		4233/-
161	RO3R51 C	350 MM	350 MM	250 MM		2822/-

162	RO3R52 A	520 MM	520 MM	410 MM		7920/-
163	RO3R52 B	450 MM	450 MM	310 MM		4320/-
164	RO3R52 C	300 MM	300 MM	230 MM		2880/-

165	RO3R53 A	520 MM	520 MM	410 MM		7920/-
166	RO3R53 B	450 MM	450 MM	310 MM		4320/-
167	RO3R53 C	300 MM	300 MM	230 MM		2880/-

04: ROYAL SERIES: (RY)

168	RY3R54 A	490 MM	490 MM	610 MM		8322/-
169	RY3R54 B	360 MM	360 MM	450 MM		4539/-
170	RY3R54 C	250 MM	250 MM	310 MM		3026/-

171	RY3R55 A	480 MM	480 MM	550 MM		7527/-
172	RY3R55 B	360 MM	360 MM	430 MM		4106/-
173	RY3R55 C	270 MM	270 MM	350 MM		2737/-

174	RY3R56 A	530 MM	530 MM	370 MM		7761/-
175	RY3R56 B	390 MM	390 MM	270 MM		4233/-
176	RY3R56 C	260 MM	260 MM	180 MM		2822/-
177	RY3R57 A	550 MM	550 MM	250 MM		5657/-
178	RY3R57 B	430 MM	430 MM	180 MM		3086/-
179	RY3R57 C	310 MM	310 MM	120 MM		2057/-
180	RY3R58 A	550 MM	550 MM	390 MM		7920/-
181	RY3R58 B	410 MM	410 MM	300 MM		4320/-
182	RY3R58 C	310 MM	310 MM	230 MM		2880/-
183	RY4S59 A	520 MM	520 MM	520 MM		12031/-
184	RY4S59 B	440 MM	440 MM	440 MM		7656/-
185	RY4S59 C	370 MM	370 MM	370 MM		4375/-
186	RY4S59 D	300 MM	300 MM	300 MM		3281/-
187	RY4R60 A	500 MM	500 MM	490 MM		9763/-
188	RY4R60 B	420 MM	420 MM	410 MM		6213/-
189	RY4R60 C	330 MM	330 MM	320 MM		3550/-
190	RY4R60 D	260 MM	260 MM	250 MM		2663/-
05: VELVET SERIES : (VT)						
191	VT4R61 A	550 MM	550 MM	520 MM		9023/-
192	VT4R61 B	460 MM	460 MM	450 MM		5742/-
193	VT4R61 C	350 MM	350 MM	310 MM		3281/-
194	VT4R61 D	260 MM	260 MM	250 MM		2461/-
195	VT3R62 A	500 MM	500 MM	380 MM		7920/-
196	VT3R62 B	370 MM	370 MM	290 MM		4320/-
197	VT3R62 C	290 MM	290 MM	220 MM		2880/-

198	VT3R63 A	490 MM	490 MM	550 MM			8044/-
199	VT3R63 B	360 MM	360 MM	410 MM			4388/-
200	VT3R63 C	270 MM	270 MM	310 MM			2952/-
201	VT3R64 A	440 MM	440 MM	490 MM			8195/-
202	VT3R64 B	320 MM	320 MM	360 MM			4470/-
203	VT3R64 C	230 MM	230 MM	260 MM			2980/-
204	VT4R65 A	550 MM	550 MM	470 MM			12719/-
205	VT4R65 B	450 MM	450 MM	400 MM			8094/-
206	VT4R65 C	320 MM	320 MM	260 MM			4625/-
207	VT4R65 D	230 MM	230 MM	210 MM			3467/-